

DUplet

GLAZED CERAMIC | WALL TILES

COLOUR SHAPE ABSOLUTE




JOHNSON • TILES 

MADE IN THE UK SINCE 1901

DUPLET

Showcasing an architectural colour palette designed to co-ordinate with our Modern collection, Duplet features 6 neutral tones ranging from Chalk to Graphite. Duplet is influenced by the Geometrics trend to create symmetry and balance within a space. The chevron format provides a stylish wall feature, with Matt and Gloss finishes available in every colour. Add a subtle hint of sophistication and playfulness through the exploration of layout patterning to provide a contemporary dynamic.

Front Cover Image: Chalk Matt 260x64mm Chevron Left - DUP1ML & Chevron Right - DUP1MR, Oyster Matt 260x64mm Chevron Left - DUP3ML & Chevron Right - DUP3MR, Slate Matt 260x64mm Chevron Left - DUP5ML & Chevron Right - DUP5MR, Graphite Matt 260x64mm Chevron Left - DUP6ML & Chevron Right - DUP6MR and Graphite Gloss 260x64mm Chevron Left - DUP6GL & Chevron Right - DUP6GR,





Oyster Matt 260x64mm Chevron Left - DUP3ML & Chevron Right - DUP3MR
Moonstone Matt 260x64mm Chevron Left - DUP4ML & Chevron Right - DUP4MR



Chalk Matt 260x64mm Chevron Left - DUP1ML & Chevron Right - DUP1MR
Oyster Matt 260x64mm Chevron Left - DUP3ML & Chevron Right - DUP3MR
Slate Matt 260x64mm Chevron Left - DUP5ML & Chevron Right - DUP5MR
Graphite Matt 260x64mm Chevron Left - DUP6ML & Chevron Right - DUP6MR
Graphite Gloss 260x64mm Chevron Left - DUP6GL & Chevron Right - DUP6GR




Ivory Matt 260x64mm Chevron Left - DUP2ML & Chevron Right - DUP2MR
Ivory Gloss 260x64mm Chevron Left - DUP2GL & Chevron Right - DUP2GR



Colours & Product Codes

VI: Low Shade Variation



CHALK CHEVRON LEFT LRV: 74

Product Codes: **M** DUP1ML + **G** DUP1GL




CHALK CHEVRON RIGHT LRV: 74

Product Codes: **M** DUP1MR + **G** DUP1GR



IVORY CHEVRON LEFT LRV: 70

Product Codes: **M** DUP2ML + **G** DUP2GL




IVORY CHEVRON RIGHT LRV: 70

Product Codes: **M** DUP2MR + **G** DUP2GR



OYSTER CHEVRON LEFT LRV: 54

Product Codes: **M** DUP3ML + **G** DUP3GL



OYSTER CHEVRON RIGHT LRV: 54

Product Codes: **M** DUP3MR + **G** DUP3GR



MOONSTONE CHEVRON LEFT LRV: 29

Product Codes: **M** DUP4ML + **G** DUP4GL



MOONSTONE CHEVRON RIGHT LRV: 29

Product Codes: **M** DUP4MR + **G** DUP4GR




SLATE CHEVRON LEFT LRV: 21

Product Codes: **M** DUP5ML + **G** DUP5GL



SLATE CHEVRON RIGHT LRV: 21

Product Codes: **M** DUP5MR + **G** DUP5GR



GRAPHITE CHEVRON LEFT LRV: 08

Product Codes: **M** DUP6ML + **G** DUP6GL




GRAPHITE CHEVRON RIGHT LRV: 08

Product Codes: **M** DUP6MR + **G** DUP6GR



Size Formats Finishes & Availability



#	Sizes	Finish Type	Colour Availability	Thickness	Pz / Box	M2 / Box	Kg / Box
1	260x64mm Chevron Left	Matt	All Colours Shown	8mm	30 Tiles	0.50 m ²	7.00 kg
		Gloss	All Colours Shown	8mm	30 Tiles	0.50 m ²	7.00 kg
2	260x64mm Chevron Right	Matt	All Colours Shown	8mm	30 Tiles	0.50 m ²	7.00 kg
		Gloss	All Colours Shown	8mm	30 Tiles	0.50 m ²	7.00 kg

Note: All sizes indicated are metric modular. All dimensions are in millimetres. All sizes shown are nominal. For the most up-to-date availability information, please visit our website. All LRV results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value.





Oyster Matt 260x64mm Chevron Left - DUP3ML & Chevron Right - DUP3MR
Moonstone Matt 260x64mm Chevron Left - DUP4ML & Chevron Right - DUP4MR
















Technical Information

Specification

Range	Size / Finish	Wall Suitability	Floor Suitability	Wet Barefoot	CSV	Material
Duplet	All Sizes Shown  	Internal Only	-	-	VI	Glazed Ceramic [BIII]

Note: CSV: Colour Shade Variation. **Key to Finishes:**  Matt  Gloss

Physical Properties

Test / Standard	Requirement	Test Result	Test / Standard	Requirement	Test Result
 Length / Width EN ISO 10545 - 2	$\pm 0.5\% \leq \pm 2\text{mm}$	$\pm 0.25\%$	 Modulus of Rupture EN ISO 10545 - 4	Min. 15N / mm ²	$\geq 25\text{N} / \text{mm}^2$
 Thickness EN ISO 10545 - 2	$\pm 10\% \leq \pm 0.5\text{mm}$	$\pm 2.5\%$	 Thermal Shock EN ISO 10545 - 9	Pass	Pass
 Straightness of Side EN ISO 10545 - 2	$\pm 0.3\% \leq \pm 1.5\text{mm}$	$\pm 0.15\%$	 Frost Resistance EN ISO 10545 - 12	-	Not Suitable
 Rectangularity EN ISO 10545 - 2	$\pm 0.5\% \leq \pm 2\text{mm}$	$\pm 0.4\%$	 Chemical Resistance EN ISO 10545 - 13	Min. Class B	Class A - B
 Surface Flatness EN ISO 10545 - 2	$\pm 0.5\% \leq \pm 2\text{mm}$	$\pm 0.3\%$	 Stain Resistance EN ISO 10545 - 14	Min. Class 3	Class C
 Water Absorption EN ISO 10545 - 3	10% to 20%	15% to 17%	 Fire Rating	-	Class A I Non Combustible
 Weight / M²	14.00 kg 8mm thick				

Note: All glazed ceramic [BIII] products shown in this range overview conform to BS EN 14411.

Sustainability Information

Range	Material	EPD	Recycled Content of the Tiles	Recycled Content of the Packaging	Recyclable Content of the Packaging
Duplet	Glazed Ceramic [BIII]	-	Up to 20%	Up to 100%	Up to 100%

Note: For a full overview of our environmental credentials please visit www.johnson-tiles.com/about/sustainability. EPD: Environmental Product Declaration.

Important Information

During the manufacturing process of ceramic, vitrified and porcelain tiles, some variation in shade and pattern can occur. Before fixing any tiles; several boxes should be opened and their contents mixed to ensure that size, colour, shade and patterning are acceptable. The tiles shown are quality products and conform to the physical properties listed above.

- All sizes shown are metric modular.
- For specific suitability and fit-for-purpose details please contact our technical helpline.
- Johnson Tiles cannot accept responsibility for any tiles that have been fixed.
- Every effort has been made to ensure the accuracy of the information given.
- Johnson Tiles reserves the right to change specifications and availability without prior notice.
- Nothing in these statements does or will affect the statutory rights of the consumer.

© Johnson Tiles, Johnson, Absolute and Material Lab are registered trademarks and together with Kerastar and product names are the trademarks of H&R Johnson Tiles Limited and licensed to Norcros Group (Holdings) Limited trading as Johnson Tiles. © 2021 Johnson Tiles. All rights reserved.





**Product
Notes**

A series of horizontal dashed lines for writing notes.

For more information about Duplet or any
of our other product ranges simply visit
www.johnson-tiles.com |      

Where To Find Us

Johnson Tiles

Harewood Street,
Tunstall,
Stoke on Trent,
Staffordshire,
ST6 5JZ

Tel: +44 (0)1782 575 575

Fax: +44 (0)1782 577 379

Email: info@johnson-tiles.com

Samples Enquiries

Tel: +44 (0)1782 524 043

Fax: +44 (0)1782 577 379

Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0)1782 524 111

Fax: +44 (0)1782 577 379

Email: techadvice@johnson-tiles.com

Launched: October 2021

JOHNSON • TILES 

MADE IN THE UK SINCE 1901